

**IN THE CLAIMS:**

*Please amend the claims as follows:*

1. (currently amended) A method for transferring data from a source application to a target application, the method comprising: ~~steps for~~
  - tracing an operation relating to the source application,
  - extracting at least one item from said operation,
  - recording said item into a file,
  - ~~wherein~~calling said file ~~is called by~~ the target application for selecting and pasting the item to said target application.
2. (original) The method according to claim 1, wherein the item is selected from the file by means of a clipboard.
3. (original) The method according to claim 1, wherein more than one operations are traced and recorded.
4. (original) The method according to claim 1, wherein said operation is traced automatically.
5. (original) The method according to claim 1, wherein the file is a log file.
6. (original) The method according to claim 1, wherein at least one of the following operations: handling, receiving, sending, downloading, creating, deleting, is traced.
7. (original) The method according to claim 6, wherein said item is a content of the operation or a property of the operation.
8. (original) The method according to claim 1, wherein the source application and the target application are located within one application program.

9. (original) The method according to claim 1, wherein the source application and the target application are located in different application programs.
10. (original) The method according to claim 1, wherein the source application and the target application are located in different devices.
11. (original) The method according to claim 1, wherein said file is shared between application programs of a computing device.
12. (original) The method according to claim 1, wherein a type of the item is identified.
13. (original) The method according to claim 12, wherein said type belongs to one of the following groups: image, audio, video, text, URL, phonebook entry, music, calendar event, wallet and error message.
14. (original) The method according to claim 12, wherein said type is used for classifying the item.
15. (currently amended) A device for computing, said device comprising a source application, a target application and configured:
  - ~~tracing means for~~ tracing an operation relating to the source application,
  - ~~extracting means for~~ extracting at least one item from said operation,
  - ~~a file for~~ storing said item in a file,—said file is arranged to receive an access command from the target application and to present items from the file.
16. (original) The device according to claim 15, wherein one or many item from the file is selected to be accessed by the target application.

17. (currently amended) The device according to claim 15, wherein said tracing ~~means~~ areis configured to operate automatically.
18. (original) The device according to claim 15, wherein the file is a log file.
19. (currently amended) The device according to claim 15, ~~comprising~~ also meansconfigured for at least one of the following operations: messaging, calling, imaging, browsing, using application programs and selecting.
20. (currently amended) The device according to claim 19, wherein said extracting ~~means~~ areis configured to extract the item from a content of the operation or from a property of the operation.
21. (original) The device according to claim 15, wherein the source application and the target application are located within one application program.
22. (original) The device according to claim 15, wherein the source application and the target application are located in different application programs.
23. (currently amended) The device according to claim 15, ~~comprising~~ meansconfigured for exchanging data with another device.
24. (currently amended) The device according to claim 15, further ~~comprising~~ meansconfigured for identifying a type of the item.
25. (currently amended) The device according to claim 24, further ~~comprising~~ meansconfigured for classifying the item based on ~~the~~ its type.
26. (original) The device according to claim 15, wherein said operation is implemented without user action.

- 27.(currently amended) The device according to claim 15, further ~~comprising~~  
meansconfigured for manual copying.
- 28.(currently amended) The device according to claim 15, further ~~comprising~~  
meansconfigured for mobile communication.
- 29.(original) A system for implementing the method of claim 1.
- 30.(currently amended) A computer program product, comprising a memory ~~means~~  
and a computer program comprising instructions for
- tracing an operation relating to one application,
  - extracting at least one item from said operation,
  - recording said item into a file,
  - calling said file ~~being called by~~ another application for selecting the item to be  
pasted.
- 
- 31.(new) The method according to claim 1, further comprising:  
tracing the latest operation relating to the source application right  
after said operation has occurred.
- 32.(new) The method according to claim 31, further comprising: tracing the latest  
operation automatically.
- 33.(new) The method according to claim 1, further comprising: calling said file by the  
target application; selecting and pasting the item to said target application.